



www.shengfengpack.com

沧州天广告设计承印：15100780088

REAGENT BOTTLE
MEDIA BOTTLE

试剂瓶 | 滴瓶

PLASTIC CASSETTE
EXTRACTION TUBE
FOB TUBE

塑料卡壳 | 抽提管 | 采便管

SHAKE FLASK
DROPPER BOTTLE

滴管 | 检验耗材



地址

河北省沧州市杜生工业园区

ADD

Dusheng Industrial Zone Cangzhou Hebei China



手机/微信

13111778899 13333077606 18032714898 13393371186

邮箱

shengfengsujiao@163.com

QQ

2880926514 2880926518 2880926519



MOB

0086-15531706718 0086-13111778899

Email

ron@shengfengpack.com

Wechat

15531706718



IVD PLASTIC
PACKAGING MATERIALS



SHENGFENG
PLASTIC
盛丰塑胶制品

沧州盛丰塑胶制品有限公司
Cangzhou Shengfeng Plastic Products Co., LTD

“

沧州盛丰塑胶制品有限公司专业生产诊断试剂用包材和耗材有30余年经验。产品有塑料试剂瓶、酶免滴瓶、一次性移液管、试纸筒、FOB采便管、检测卡板、冷冻管等。本公司拥有国家食品药品包装许可证、CE欧盟认证、ISO13485质量体系认证等资质。

Cangzhou ShengFeng Plastic Product Co., Ltd. is specialized in the production of diagnostic reagent packaging materials and consumables for over 30 years. Our products include plastic reagent bottle, plastic dropper bottle, disposable transfer pipette, desiccant tube, fecal occult blood extraction tube, plastic cassette for rapid test, cryovial tube, clinical diagnostic reagent and food safety testing plastic packages. We have got the licence of "Foods and Drugs Packaging", CE and ISO 13485.

公司建有15000平方米的洁净厂房，并且拥有世界先进的全自动生产线和全自动检测设备。该设备拥有高速、高精度、高准确率的检测功能，提供360°全方位检测、RGB可调光源和气动式单段式剔除器，覆盖从产品脱模到装箱的所有生产环节，提供全线检测。沧州盛丰塑胶制品公司将伴随着高科技生物和医疗技术的快速发展不断的研发新产品，并且可以按客户要求打造创新性和专利性的产品。

There are 15000 square meters none-dust clean room equipped with world's advanced automated production lines and automated inspection machines that are highly accurate and efficient. Machines are functional with comprehensive inspection, adjustable RGB light source and pneumatic single-stage culler, covering from product demolding to topacking. Our products are popular all over the world and we have received a wide range of good comments form our clients from America, Canada, Korea, Japan, Germany, Egypt, India and so on. Our company will constantly develop new products with the rapid development of high-tech biotechnology and medical technology, also we could produce innovative and patented products according to your require.

我们对产品实行售后跟踪服务，务求以优质的产品，最低的价格和完善、周到、快捷的服务满足用户需求。我公司生产的系列产品畅销美国、加拿大、韩国、日本、德国、埃及、印度等各个国家，受到广大客户的一致好评。

沧州盛丰塑胶制品有限公司愿携手诊断试剂行业共创人类健康！

It is our vision to provide our customer with competitive price but high quality products, quick and thoughtful after-sales tracking service to full fill your need.

We would like to join hands with the diagnostic reagent industry to help keep human healthy.

”

COMPANY PROFILE



OUR WORKSHOP FACTORY

车间概况



依靠科技 以人为本 齐心协力 创造卓越

RELYING ON TECHNOLOGY AND PUTTING PEOPLE FIRST
WORKING TOGETHER TO CREATE EXCELLENCE



实验室
LABORATORY



仓库
WAREHOUSE

ENTERPRISE STRENGTH CERTIFICATE

企业实力



PARTNERS

合作伙伴



TABLE OF CONTENTS

产品目录

08-12	试剂瓶 REAGENT BOTTLE	43-44	定量采血检验耗材 FIXED VOLUME BLOOD COLLECTION CONSUMABLES
13-17	滴瓶 DROPPER BOTTLE	45-48	FOB采便管 FECAL OCCULT BLOOD SAMPLE TUBE
18-20	高速离心管 CENTRIFUGE TUBE	49-52	提取管 EXTRACTION TUBE
21-22	培养基瓶 MEDIA BOTTLE	53-55	试纸桶 DESICCANT TUBE
23-24	摇瓶 SHAKE FLASK	56-57	一次性尿杯 DISPOSABLE URINE CUP
25-27	冻存管 CRYOVIAL TUBE	58-62	一次性滴管 DISPOSABLE TRANSFER PIPETTE
28-37	塑料卡壳 PLASTIC CASSETTE	63-64	吸头 PIPETTE TIP
38-40	毒品检测系列 DRUG TEST CASSETTE AND CUP	65-67	其它耗材 OTHER CONSUMABLE ITEMS
41-42	笔形卡 MIDSTREAM CASSETTE	68-73	生化试剂瓶 BIOCHEMICAL BOTTLE

01 试剂瓶 REAGENT BOTTLE

产品概述：

- SF试剂瓶分为窄口试剂瓶和广口试剂瓶，采用优质聚丙烯PP/高密度聚乙烯HDPE原材料，无生物毒性，十万级洁净车间生产环境生产，多重质量体系认证，确保无DNase/RNase，无热原、无内毒素，灭菌塑料瓶采用电子束辐照灭菌，拆开即用，大大提高用户包装效率。
- 品种齐全：4ml、5ml、8ml、10ml、12ml、15ml、20ml、25ml、30ml、50ml、60ml、100ml、125ml、150ml、200ml、250ml、500ml、1000ml；有透明、本白色、棕色和黑色。棕色和黑色试剂瓶具有优良的遮光功能，可用于储存光敏感物质；盖子有多种颜色选择，也可根据需求颜色定制；
- 采用专业防渗漏瓶口设计，无需内盖或内垫保护，密封性能优异，100%确保不漏液，宽口设计，液体取用方便；
- 选用进口优质原料，理化指标优异，具有很强的抗压性、冲击性与耐酸碱性能，聚丙烯耐高温121℃，高密度聚乙烯HDPE耐高温100℃，耐低温-40℃，并满足高压灭菌处理要求；
- 引进进口高精度的数字控制生产设备，产品做工精致，手感舒适，瓶身厚薄均匀，光泽度高、无色差、不同批次间均一性高；
- 工艺上采用高端成型技术及表面处理技术，塑料瓶内外表面光滑，试剂不挂壁，大大降低样本损耗；
- 提供专业定制服务，拥有强大的模具制造能力，可为用户提供定制产品。

Product features

- SF reagent bottles are divided into narrow-mouth reagent bottles and wide-mouth reagent bottles. SF reagent bottles are produced with high-quality polypropylene PP/high-density polyethylene HDPE in GMP dust-free workshop and obtained the certification of ISO13485 and CE. They have the features of DNase/RNase-free, non pyrogenic, non-cytotoxic. All bottles can be sterilized with electron beam irradiation. Their ready-to-use feature improves users' packing efficiency greatly.
- Full range, 4ml, 5ml, 8ml, 10ml, 12ml, 15ml, 20ml, 25ml, 30ml, 50ml, 60ml, 100ml, 125ml, 150ml, 200ml, 250ml, 500ml and 1000ml; clear, white, amber and black. Amber and black reagent bottles have good light avoiding property and are used to store light-sensitive materials; their caps have many colors and any color can be customized;
- The products adopt professional leak-proof design and don't need inner cap or inner cushion. They adopt a convenient wide-mouth design.
- Our products are made of imported high-quality materials and have excellent physicochemical indexes, strong pressure resistance, shock resistance, acid and alkali resistance and high temperature resistance (polypropylene 121℃, high-density polyethylene 100℃ and -40℃) and meet the requirements of autoclaved sterilization;
- We introduced high-precision digital control equipment to achieve delicate and comfortable feeling, uniformly thick bottle body, high gloss, no color difference and high uniformity among different batches;
- We adopt high-end molding technologies and surface treatment technologies. Our plastic bottles have smooth internal and external surfaces which can prevent wall hanging and lower sample loss greatly;
- We have a professional mould making ability and can provide customized products and services for users.

窄口试剂瓶 REAGENT BOTTLE



* REF	产品编号 NO.	V 品名 Name	MAT 材质 Material	尺寸 Size	瓶口外径 OD of mouth	包装规格 Packing
	X001	X-4ml	HDPE/PP	40.50×15.80mm	11.2mm	1000/包(Bag) 5000/箱(Box)
	X002	X-5ml	HDPE/PP	38.50×18.00mm	13.0mm	1000/包(Bag) 5000/箱(Box)
	X003	X-8ml	HDPE/PP	47.50×20.00mm	13.0mm	500/包(Bag) 3000/箱(Box)
	X018	Z-10ml	HDPE/PP	51.50×22.00 mm	13.0mm	500/包(Bag) 3000/箱(Box)
	X019	Z-12ml	HDPE/PP	52.00×22.00mm	13.0mm	500/包(Bag) 2500/箱(Box)
	X020	Z-15ml	HDPE/PP	50.00×26.00mm	13.0mm	500/包(Bag) 2000/箱(Box)



* REF	产品编号 NO.	V 品名 Name	MAT 材质 Material	尺寸 Size	瓶口外径 OD of mouth	包装规格 Packing
	X004	X-10ml	HDPE/PP	50.00×24.00mm	17.3mm	500/包(Bag) 3500/箱(Box)
	X005	X-12ml	HDPE/PP	52.00×26.00mm	17.3mm	500/包(Bag) 3000/箱(Box)
	X006	X-15ml	HDPE/PP	61.00×24.00mm	17.3mm	500/包(Bag) 3000/箱(Box)
	X007	X-20ml	HDPE/PP	66.00×28.00mm	17.3mm	400/包(Bag) 2000/箱(Box)
	X008	X-25ml	HDPE/PP	58.00×32.00mm	17.3mm	400/包(Bag) 2000/箱(Box)
	X009	X-30ml	HDPE/PP	65.00×33.50mm	17.3mm	300/包(Bag) 1800/箱(Box)
	X010	X-50ml	HDPE/PP	71.00×40.00mm	17.3mm	112/包(Bag) 1568/箱(Box)
	X011	X-60ml	HDPE/PP	84.00×39.00mm	17.3mm	120/包(Bag) 1440/箱(Box)
	X012	X-100ml	HDPE/PP	91.00×50.00mm	17.3mm	66/包(Bag) 726/箱(Box)

窄口试剂瓶 REAGENT BOTTLE



* REF	产品编号 NO.	V 品名 Name	MAT 材质 Material	尺寸 Size	瓶口外径 OD of mouth	包装规格 Packing
	X013	X-100ml-B	HDPE/PP	93.00×49.00mm	17.3mm	66/包(Bag) 726/箱(Box)
	X014	X-125ml	HDPE/PP	100.0×50.00mm	17.3mm	66/包(Bag) 660/箱(Box)
	X021	X-150ml	HDPE/PP	106.0×53.40mm	17.3mm	55/包(Bag) 550/箱(Box)
	X022	X-200ml	HDPE/PP	126.0×57.00mm	17.3mm	55/包(Bag) 550/箱(Box)
	X015	X-250ml	HDPE/PP	131.0×60.00mm	17.3mm	40/包(Bag) 320/箱(Box)
	X016	X-500ml	HDPE/PP	167.5×72.50mm	17.3mm	4/包(Bag) 168/箱(Box)
	X017	X-1000ml	HDPE/PP	215.0×92.00mm	17.3mm	3/包(Bag) 78/箱(Box)

广口试剂瓶 REAGENT BOTTLE



* REF	产品编号 NO.	V 品名 Name	MAT 材质 Material	尺寸 Size	瓶口外径 OD of mouth	包装规格 Packing
	G007	G-8ml	HDPE/PP	43.5×24.0mm	17.3mm	500/包(Bag) 2500/箱(Box)
	G009	G-25ml	HDPE/PP	65.5×29.5mm	17.3mm	400/包(Bag) 2000/箱(Box)
	G001	G-30ml	HDPE/PP	66.0×33.0mm	24.3mm	300/包(Bag) 1500/箱(Box)
	G010	G-40ml	HDPE/PP	70.5×38.8mm	24.3mm	300/包(Bag) 1500/箱(Box)
	G002	G-60ml	HDPE/PP	85.5×38.8mm	24.3mm	120/包(Bag) 1440/箱(Box)
	G003	G-100ml	HDPE/PP	96.0×45.8mm	32.0mm	78/包(Bag) 780/箱(Box)
	G004	G-125ml	HDPE/PP	100.0×49.5mm	36.5mm	66/包(Bag) 660/箱(Box)
	G005	G-250ml	HDPE/PP	131.0×60.0mm	36.5mm	40/包(Bag) 320/箱(Box)
	G006	G-500ml	HDPE/PP	166.0×72.0mm	47.5mm	21/包(Bag) 126/箱(Box)
	G008	G-1000ml	HDPE/PP	198.0×91.0mm	55.5mm	11/包(Bag) 66/箱(Box)

方瓶试剂瓶 REAGENT BOTTLE



* REF	产品编号 NO.	V 品名 Name	MAT 材质 Material	高度 Height	尺寸 Size	瓶口外径 OD of mouth	包装规格 Packing
	F001	F-30ml	HDPE	56mm	34.0×34.0mm	19.0mm	2000pcs
	F002	F-60ml	HDPE	76mm	40.0×40.0mm	31.5mm	864pcs
	F008	F-100ml	HDPE	96mm	40.0×40.0mm	31.5mm	1300pcs
	F003	F-200ml	HDPE	120mm	51.5×51.5mm	31.5mm	660pcs
	F006	F-150ml	HDPE	92mm	62.5×50.0mm	27.8mm	850pcs
	F004	F-260ml	HDPE	108mm	78.0×52.0mm	31.0mm	520pcs
	F007	F-300ml	HDPE	141mm	62.0×49.0mm	27.8mm	420pcs



02

滴瓶
DROPPER BOTTLE

产品特点：

- 采用符合USP-ClassV标准聚丙烯和100%纯聚乙烯原料，GMP10万级洁净车间生产；
- 用于小容量液体储存，密封性能优异，100%确保不漏液；
- 可与滴管配合使用，适用弱酸弱碱溶液；多种常用规格：
2ml、3ml、4ml、5ml、7ml、8ml、10ml、12ml、15ml、30ml、50ml、100ml；
- 盖子结构分为滴头旋拧和滴头按压式，其中滴头旋拧式帽子还分为翻盖式、圆帽式、扁帽式，多种样式可供选择，也可以根据用户需求定制；
- 瓶身颜色有乳白、透明、棕色、黑色，其中棕色和黑色具有优良的避光功能，盖子颜色有白、黑、棕、红、绿、蓝、黄、紫、橘、粉10种颜色可供选择

Product features:

- The products are produced with USP-ClassV grade polypropylene and 100% pure polyethylene in GMP dust-free workshop;
- The bottles can store a small quantity of liquid and has excellent leak-proof to guarantee it no leak;
- The bottle and transfer pipette are a good match in use. It is suitable for weak acid and weak base solution. Its specifications include 2ml, 3ml, 4ml, 5ml, 7ml, 8ml, 10ml, 12ml, 15ml, 30ml, 50ml and 100ml;
- The structures of dropper cap are divided into screwing type and flip type. Total four models of dropper caps can be selected. Users can choose among these types or require customization according to their needs;
- Their bottle body colors include milk-white, clear, amber and black. amber and black bottle bodies have good light avoiding property. Their cap colors include white, black, amber, red, green, blue, yellow, purple, orange and pink. Their caps support color customization.

滴瓶 DROPPER BOTTLE



DB-4ml DB-5ml DB-8ml DB-10ml DB-12ml DB-15ml DB-30ml DB-50ml DB-100ml
DB001 DB002 DB003 DB004 DB005 DB006 DB007 DB008 DB009



* REF	产品编号 NO.	V NAME 品名 Name	MAT 材质 Material	尺寸 Size	瓶口外径 OD of mouth	包装规格 Packing
	DB001	DB-4ml	LDPE/PP	52.30×16.00mm	11mm	1000/包(Bag) 8000/箱(Box)
	DB002	DB-5ml	LDPE/PP	50.98×18.00mm	13mm	1000/包(Bag) 5000/箱(Box)
	DB003	DB-8ml	LDPE/PP	60.45×19.00mm	13mm	500/包(Bag) 3000/箱(Box)
	DB004	DB-10ml	LDPE/PP	60.80×20.10mm	13mm	500/包(Bag) 3000/箱(Box)
	DB005	DB-12ml	LDPE/PP	62.74×21.60mm	13mm	500/包(Bag) 2500/箱(Box)
	DB006	DB-15ml	LDPE/PP	61.54×25.34mm	13mm	500/包(Bag) 2000/箱(Box)
	DB007	DB-30ml	LDPE/PP	75.71×30.68mm	13mm	300/包(Bag) 1800/箱(Box)
	DB008	DB-50ml	LDPE/PP	95.10×34.70mm	13mm	144/包(Bag) 1728/箱(Box)
	DB009	DB-100ml	LDPE/PP	105.6×46.50mm	13mm	78/包(Bag) 780/箱(Box)

滴瓶 DROPPER BOTTLE




* REF	产品编号 NO.	品名 Name	MAT 材质 Material	尺寸 Size	瓶口外径 OD of mouth	包装规格 Packing
	DY001	DY-5ml	LDPE/PP	51.14×18.00mm	13.0mm	1000/包(Bag) 8000/箱(Box)
	DY002	DY-8ml	LDPE/PP	60.52×19.00mm	13.0mm	500/包(Bag) 3000/箱(Box)
	DY003	DY-10ml	LDPE/PP	60.02×20.10mm	13.0mm	500/包(Bag) 3000/箱(Box)
	DY004	DY-12ml	LDPE/PP	62.82×21.60mm	13.0mm	500/包(Bag) 2500/箱(Box)
	DY005	DY-15ml	LDPE/PP	61.73×25.34mm	13.0mm	500/包(Bag) 2000/箱(Box)
	DY006	DY-30ml	LDPE/PP	75.80×30.68mm	13.0mm	300/包(Bag) 1800/箱(Box)
	DY007	DY-50ml	LDPE/PP	95.20×34.70mm	13.0mm	144/包(Bag) 1728/箱(Box)
	DY008	DY-100ml	LDPE/PP	105.8×46.50mm	13.0mm	78/包(Bag) 780/箱(Box)

滴瓶 DROPPER BOTTLE



* REF	产品编号 NO.	品名 Name	MAT 材质 Material	尺寸 Size	瓶口外径 OD of mouth	包装规格 Packing
	DF001	DF-5ml	LDPE/PP	53.41×18.00mm	13.0mm	1000/包(Bag) 8000/箱(Box)
	DF002	DF-8ml	LDPE/PP	62.55×19.00mm	13.0mm	500/包(Bag) 3000/箱(Box)
	DF003	DF-10ml	LDPE/PP	63.00×20.10mm	13.0mm	500/包(Bag) 3000/箱(Box)
	DF004	DF-12ml	LDPE/PP	65.19×21.60mm	13.0mm	500/包(Bag) 2500/箱(Box)
	DF005	DF-15ml	LDPE/PP	63.90×25.34mm	13.0mm	500/包(Bag) 2000/箱(Box)
	DF006	DF-30ml	LDPE/PP	77.70×30.68mm	13.0mm	300/包(Bag) 1800/箱(Box)
	DF007	DF-50ml	LDPE/PP	97.60×34.70mm	13.0mm	144/包(Bag) 1728/箱(Box)
	DF008	DF-100ml	LDPE/PP	107.9×46.50mm	13.0mm	78/包(Bag) 780/箱(Box)

滴瓶 DROPPER BOTTLE



* REF 产品编号 NO.	V 品名 Name	MAT 材质 Material	尺寸 Size	瓶口外径 OD of mouth	包装规格 Packing
DN001	DN-2ml	LDPE/PP	46.86×13.80mm	7.68mm	1000/包(Bag) 8000/箱(Box)
DN002	DN-3ml	LDPE/PP	45.37×17.00mm	11.66mm	1000/包(Bag) 5000/箱(Box)
DN003	DN-5ml	LDPE/PP	48.40×18.20mm	11.66mm	1000/包(Bag) 5000/箱(Box)
DN004	DN-7ml	LDPE/PP	55.18×19.20mm	11.66mm	500/包(Bag) 3000/箱(Box)
DN005	DN-10ml	LDPE/PP	57.00×20.50mm	11.66mm	500/包(Bag) 3000/箱(Box)
DN006	DN-12ml	LDPE/PP	59.12×22.62mm	11.66mm	500/包(Bag) 2500/箱(Box)
DQ001	DQ-8ml	LDPE/PP	59.50×22.20mm	14.80mm	500/包(Bag) 2500/箱(Box)



产品特点：

- 四种容量规格可选：15ml、50ml、250ml、500ml；
- 管底类型：V形圆锥底，管盖类型：螺纹平盖·V开圆锥管底部刻度精确到0.5ml、1ml，可读微量液体；
- 管作采用符合USP Class VI要求透明高分子材料聚丙烯(PP)制成，管盖为PE材质；
- 管盖螺纹独特设计，即使是单手也很容易操作，密封性能好，经过严格的泄露测试，管盖下盖设计，最大密封负压耐受-90Kpa/cm，不漏气、不变形、不爆管，安全可靠；
- 提供袋装，可按照用户需求；
- 15ml最大可耐受离心力：15000xg，50ml可耐受离心力：12000xg；
- 可承受温度范围：-80℃-121℃；
- 无DNA/RNA酶，无热源，无内毒素；
- 经过严格的泄露测试，管体内外表面光滑，色泽均匀，辐照灭菌

Product features:

- Capacity specifications: 15ml, 50ml, 250ml an 500ml; types of tube bottom: V-shaped circular cone bottom; type of tube cover: thread cap; the minimum scale of V-shaped circular cone bottom is 0.5ml and 1ml; the volume of micro fluid can be read;
- Materials of tube: transparent high polymer material PP conforming to USP Class VI; materials of tube cover: PE;
- The unique design of tube cover thread makes single-hand holding easy and passed strict leakage tests. The cover can bear -90Kpa/cm and has the features of no leakage, no deformation and no tube burst;
- Provide individual package according to users' needs;
- 15ml maximum centrifugal force: 15000xg, 50ml centrifugal force: 12000xg;
- Range of tolerable temperature: -80℃-121℃;
- DNase/RNase-free, non pyrogenic, non-cytotoxic;
- The products have passed strict leakage tests. The tube has smooth surface and uniform color and is sterilized through irradiation.

高速离心管 CENTRIFUGE TUBE



* REF	产品编号 NO.	容量 Capacity	品名 Name	MAT 材质 Material	高度 Height	外径 Diameter	瓶口外径 OD of mouth	包装规格 Packing
	LX001	15ml	15ml离心管(15ml Centrifuge Tube)	PP	120mm	22.8mm	17.5mm	100个/包(Pcs/Bag)
	LX002	50ml	50ml离心管(50ml Centrifuge Tube)	PP	116mm	35.0mm	30mm	100个/包(Pcs/Bag)
	LX003	250ml	250ml离心管(250ml Centrifuge Tube)	PP	158mm	60mm	29mm	100个/包(Pcs/Bag)
	LX004	500ml	500ml离心管(500ml Centrifuge Tube)	PP	152mm	95mm	44mm	100个/包(Pcs/Bag)

微量离心管 MICRO CENTRIFUGE TUBE



* REF	产品编号 NO.	品名 Name	容量 Capacity	MAT 材质 Material	尺寸 Size	包装规格 Packing
	801141	微量离心管(Micro centrifuge tube)	0.6ml	PP	Φ7.5×31.8mm	500/包(Bag) 10000/箱(Box)
	801161	微量离心管(Micro centrifuge tube)	1.5ml	PP	Φ10.5×41.0mm	500/包(Bag) 10000/箱(Box)
	801181	微量离心管(Micro centrifuge tube)	2.0ml	PP	Φ10.5×40.5mm	500/包(Bag) 10000/箱(Box)

04

培养基瓶
MEDIA BOTTLE

方形培养基瓶 SQUARE MEDIA BOTTLE



* REF	产品编号 NO.	容量 Capacity	MAT 材质 Material	高度 Height	直径 Diameter	瓶盖外径 OD of cap	包装规格 Packing
	XQ001	5ml	PETG/PET	44.7mm	22.0mm	20.3mm	5000个/箱(Pcs/Box)
	XQ002	10ml	PETG/PET	55.7mm	23.8mm	20.3mm	5000个/箱(Pcs/Box)
	XQ003	30ml	PETG/PET	68.0mm	35.0×35.0mm	28.0mm	280个/箱(Pcs/Box)
	XQ004	60ml	PETG/PET	85.0mm	40.0×40.0mm	28.0mm	200个/箱(Pcs/Box)
	XQ005	75ml	PETG/PET	89.0mm	45.0×45.0mm	28.0mm	160个/箱(Pcs/Box)
	XQ006	125ml	PETG/PET	110.0mm	56.0×56.0mm	41.0mm	96个/箱(Pcs/Box)
	XQ007	250ml	PETG/PET	135.2mm	64.0×64.0mm	41.0mm	60个/箱(Pcs/Box)
	XQ008	500ml	PETG/PET	177.0mm	79.0×79.0mm	41.0mm	40个/箱(Pcs/Box)
	XQ009	1000ml	PETG/PET	208.8mm	95.0×95.0mm	41.0mm	24个/箱(Pcs/Box)

产品概述：

- 瓶身材质PET/PETG材质，瓶盖材质：PP
- 瓶身玻璃般透明，刻度精准清晰、重量轻、抗裂、抗摔、抗穿刺；
- 瓶身为方形，方便拿握，方便储存和运输；
- PET规格有125ml、250ml、500ml、1000ml；
- PETG规格有5ml、10ml、30ml、60ml、75ml、125ml、250ml、500ml、1000ml；
- 瓶口瓶盖倒角设计，经过严格的泄露测试确保不漏液；
- 无DNA/RNA酶，无热源，无内毒素，符合 USP Class VI标准；
- PET使用温度：-60℃~75℃；
- PETG使用温度：-70℃~70℃；
- 经过辐照灭菌；
- PET/PETG方形瓶主要用于培养基、血清、缓冲液、试剂的储存和运输，容器抗裂、抗穿刺，玻璃般透明，适合航空运输及平放储存。
- PETG方形瓶可提供类似体内的细胞培养环境，有助于在大规模细胞培养应用中实现从研究到生产的顺利过渡，非常适合存放储放生物试剂和化学试剂，并可维持其组分的完整性和纯度。

Product features:

- PP Material of bottle body can be PET/PETG, material of cap is PP;
- Bottle body is transparent as glass and has clear and precise scale and light weight;
- Crack resistance, shock resistance and puncturing resistance;
- Their bottle body is square and convenient for taking, storage and transportation;
- PET specifications: 125ml, 250ml, 500ml and 1000ml;
- PETG specifications: 5ml, 10ml, 30ml, 60ml, 75ml, 125ml, 250ml, 500ml and 1000ml;
- Bottle neck and cap adopt rounding chamber design and pass strict leakage test;
- DNase/RNase-free, non pyrogenic, non-cytotoxic; conforming to USP Class VI standards;
- PET use temperature: -60℃-75℃;
- PETG use temperature: -70℃-70℃;
- irradiation sterilization;
- PET/PETG square bottle is mainly used to transport and store culture medium, serum, buffer solution and reagents. It has the features of crack resistance, puncturing resistance and transparency and is suitable for air transportation and regular storage. PETG square bottle can provide an environment similar to that in vivo, is beneficial for achieving the transition from research to production in large-scale cell culture and can maintain the completion and purity of components in biological reagent and chemical reagent storage.



05

摇瓶
SHAKE FLASK

产品特点：

- 摇瓶材质分为PC和PETG，瓶盖材质：PE。符合食品药品接触管理要求，避免双酚A问题；
- 瓶盖配有0.2um透气膜，提高气体交换效率，透气不透水，使培养液中溶氧更充分；瓶盖也有不透气样式，可供用户多种选择；
- 底部挡板设计增加气体交换效率，减少细胞团聚、溶氧更充分；瓶身内外做工光滑，降低了细胞贴壁和培养液起泡风险；
- 采用独立包装，取用方便，避免交叉污染；
- 采用注拉吹一体成型技术，避免表面结痕或者细胞撞壁破裂；
- 表面光洁度达到镜面要求，通透性接近玻璃，减少了细胞贴壁的风险；
- 瓶口尺寸符合国际SBS标准，适合于生物反应器的快捷连接；符合食品药品接触管理要求，避免双酚A问题；
- 采用电子束灭菌，SAL=10°，确保无DNase/RNase，无热原、无内毒素。

Product features:

- Materials of shake flask: PC and PETG, materials of bottle cover: PE. The size of bottle mouth conforms to international SBS standards and is suitable for the fast connection of bioreactor; According to the ISO:13485 standard and avoiding BPA problems;
- Bottle cover is equipped with 0.2um vent membrane improving air exchange efficiency, stopping water and making oxygen dissolving in culture solution more sufficient; users can also choose regular covers without air-permeable membrane;
- Bottom baffle increases air exchanging efficiency, reduces cell division and makes oxygen dissolving more sufficient; the smooth bottle body lowers the risks of cell attachment and culture solution bubbling;
- Its individual package is more convenient and can avoid cross infection;
- ISBM is adopted to avoid surface marks or cell collision and cracking;
- Surface finishment similar to mirror surface, permeability approaching glasses, lowered risks of cell attachment;
- Electron beam sterilization, SAL=10°, DNase/RNase-free, non pyrogenic, non-cytotoxic.

摇瓶 SHAKE FLASK



* REF	产品编号 NO.	品名 Name	MAT 材质 Material	盖子类型 Cap type	高度 Height	颈部直径 Neck Diameter	底部直径 Bottom Diameter	包装规格 Packing
	SP001D	125ml挡板摇瓶(Flask with indentation)	PC	透气/不透气(Vent/Non)	108mm	36mm	68mm	24个/箱(Pcs/Box)
	SP002D	250ml挡板摇瓶(Flask with indentation)	PC	透气/不透气(Vent/Non)	135mm	36mm	90mm	12个/箱(Pcs/Box)
	SP003D	500ml挡板摇瓶(Flask with indentation)	PC	透气/不透气(Vent/Non)	177mm	36mm	100mm	12个/箱(Pcs/Box)
	SP004D	1000ml挡板摇瓶(Flask with indentation)	PC	透气/不透气(Vent/Non)	211mm	36mm	127mm	6个/箱(Pcs/Box)
	SP001P	125ml平底摇瓶(Flat shake flask)	PC	透气/不透气(Vent/Non)	108mm	36mm	68mm	24个/箱(Pcs/Box)
	SP002P	250ml平底摇瓶(Flat shake flask)	PC	透气/不透气(Vent/Non)	135mm	36mm	90mm	12个/箱(Pcs/Box)
	SP003P	500ml平底摇瓶(Flat shake flask)	PC	透气/不透气(Vent/Non)	180mm	36mm	100mm	12个/箱(Pcs/Box)
	SP004P	1000ml平底摇瓶(Flat shake flask)	PC	透气/不透气(Vent/Non)	211mm	36mm	127mm	6个/箱(Pcs/Box)

06

冻存管
CRYOVIAL TUBE

冻存管 CRYOVIAL TUBE

螺帽管可用于储存样品、样品分装、自动化设备操作等，适用于医学研究、环境工程、制药、食品工业以及细胞生物学和分子生物学等领域的高端需求等。

The tube can be used in samples storage, samples subpackage and operation of automatic equipment and meet the high-end needs in medical research, environmental engineering, pharmacy, food industry, cytobiology, molecular biology and other fields.

产品特点：

- 冻存管采用医用级USPV1 100%纯高分子聚丙烯(PP)材料，多种盖颜色可选；
- 盖子含O型圈，密封紧密，满足IATA运输标准；
- 容量包含0.5ml、0.8ml、1ml、1.5ml、2.0ml，裙底锥形，透明可立；
- 独有的棕色保存管，具有优良的遮光功能；
- 适合于超低温冰箱(不可在液氮气相中保存)；
- 离心力20000RCF，壁厚均匀，免清洗，符合跌落测试验证标准；
- 无热源、无内毒素、无DNA酶、无RNA酶， γ 射线灭菌；
- 耐受温度范围：-86℃~121℃；
- 红、橙、黄、绿、蓝、紫、棕、透明色等多种颜色螺旋盖，便于区分管理；
- 可提供开盖及封盖扭矩，满足自动化需求。

Product features:

- Cryovial tubes are made of medical grade USP Class VI 100% pure high molecular PP and have various colors of caps for your selection;
- The cover contains a rubber O-ring and meets IATA transportation standards;
- Capacity specifications: 0.5ml, 0.8ml, 1ml, 1.5ml and 2.0ml; subuliform bottom, transparent, vertical self-stand;
- Pecial amber storage tube, good light avoiding function;
- Suitable for ultra-low temperature refrigerator (can be preserved in liquid nitrogen gas phase);
- Uniform wall thickness, no-wash, conforming to drop test verification standards;
- DNase/RNase-free, non pyrogenic, non-cytotoxic, irradiation sterilization;
- Range of tolerable temperature: -86℃~121℃;
- Red, orange, yellow, green, blue, purple, amber and transparent screw covers are provided for differential management;
- Provide specification of screwing off and screwing up torques to meet automation needs.



多种颜色盖子可选
More choices for the colour

* REF	产品编号 No.	容量 Capacity	MAT 材质 Material	耐受温度 Withstand temperature	高度 Height	螺纹外径 Thread diameter	外径 External diameter	包装规格 Packing
YP001		0.8ml (BLK)	PP	-86~121℃	33.0mm	9.6mm	12.3mm	10000个/箱(Pcs/Box)
YP024		0.5ml (BLK)	PP		49.4mm	9.6mm	10.2mm	8000个/箱(Pcs/Box)
YP003		1ml (BLK)	PP		50.0mm	9.6mm	12.3mm	8000个/箱(Pcs/Box)
YP004		1.5ml (BLK)	PP		49.5mm	9.6mm	12.3mm	8000个/箱(Pcs/Box)

冻存管 CRYOVIAL TUBE



0.5ml
YP026

1ml
YP027

1.5ml
YP007

1.5ml
YP028

1.8ml
YP008



冻存管架
Cryovial rack
YP040

* REF	产品编号 NO.	容量 Capacity	MAT 材质 Material	耐受温度 Withstand temperature	高度 Height	螺纹外径 Thread diameter	外径 External diameter	包装规格 Packing
	YP026	0.5ml (SST)	PP	-86~121℃	49.5mm	9.6mm	10.2mm	8000个/箱(Pcs/Box)
	YP027	1ml (SST)	PP		47.4mm	9.6mm	9.76mm	8000个/箱(Pcs/Box)
	YP007	1.5ml (SF)	PP		43.5mm	11.2mm	13.6mm	7000个/箱(Pcs/Box)
	YP028	1.5ml (SST)	PP		47.4mm	9.6mm	9.90mm	8000个/箱(Pcs/Box)
	YP008	1.8ml (SF)	PP		43.8mm	11.3mm	14.0mm	7000个/箱(Pcs/Box)
	YP040	10Well	PP		44.5mm		96×32mm	1000个/箱(Pcs/Box)

07

塑料卡壳
PLASTIC CASSETTE


产品特点：

- 高强度环保材料，高度吻合装配，精准卡位装工，为检测试剂条的全自动装配、稳定精确上样提供强有力的保障；
- 主要应用于IVD/POCT/PCR快速检测，如新冠、登革热等传染病，毒品、食品安全、动物检测等领域的快速检测；
- 装配吻合度高，装配段差可做到0.1mm内；
- 可根据客户需要增加丝印，镭雕，喷码等工艺；
- 精准卡位加工，卡位间距误差0.05mm内；
- 1.5米跌落实验无开裂、无分离，形态完整。


Product features:

- High-strength environmental protection materials, high goodness of fit of assembly, precise fitting position installation, a powerful guarantee for fully automatic strip assembling machine;
- Mainly used for IVD/POCT/PCR rapid tests, such as COVID-19, dengue and other infectious diseases, drugs, food safety, animal detection and other fields of rapid test;
- High goodness of fit of assembly, tolerance of assembly <0.1mm;
- Additional service – pad printing, screen printing, laser printing, QR code printing and other processes according to customers' needs;
- Precise fitting position installation, tolerance of cassette position <0.05mm
- No crack or separation in 1.5 meters drop test.

塑料卡壳 PLASTIC CASSETTE



* REF	产品编号 NO.	品名 NAME	材质 Material	产品尺寸 Size	卡槽尺寸 Strip size	窗口尺寸 Window size
	K001	DFSZ-YGA	HIPS/ABS	100.0×18mm	75×5.0mm	26.0×3.6mm
	K002	TWT	HIPS/ABS	102.5×23mm	70×4.0mm	27.0×3.9mm
	K003	JR	HIPS/ABS	100.0×20mm	70×3.8mm	18.8×3.8mm
	K004	PMD	HIPS/ABS	88×28mm	80×4.0mm	18.2×3.7mm
	K005	LP-B	HIPS/ABS	88×29mm	80×4.0mm	18.0×3.4mm
	K006	DFSZ	HIPS/ABS	75×25mm	70×5.0mm	/
	K007	WE-2	HIPS/ABS	70×20mm	60×4.0mm	16.0×3.9mm
	K014	M9	HIPS/ABS	70×20mm	60×3.0mm	14.5×2.7mm



* REF	产品编号 NO.	品名 NAME	材质 Material	产品尺寸 Size	卡槽尺寸 Strip size	窗口尺寸 Window size
	K008	CARE-1	HIPS/ABS	70×35mm	60×4.0mm	10.5×3.6mm
	K009	CARE-2	HIPS/ABS	70×35mm	60×4.0mm	16.4×3.6mm
	K010	ABS-B	HIPS/ABS	99×20mm	80×4.0mm	19×3.8mm
	K011	ABS-A	HIPS/ABS	99×20mm	80×4.0mm	19×3.8mm
	K012	80	HIPS/ABS	80.2×2.0mm	60×4.0mm	14×3.6mm
	K015	WHQX	HIPS/ABS	75×22mm	60×4.0mm	15.8×3.4mm
	K016	HCG	HIPS/ABS	75×20mm	60×4.0mm	14.5×3.5mm
	K017	WHZX	HIPS/ABS	75×22mm	60×4.0mm	16×3.4mm

塑料卡壳 PLASTIC CASSETTE



* REF	产品编号 NO.	品名 NAME	材质 Material	产品尺寸 Size	卡槽尺寸 Strip size	窗口尺寸 Window size
	K018	TZYK	HIPS/ABS	85×30mm	60×4.0mm	16.0×3.8mm
	K019	JH3.8	HIPS/ABS	70×20mm	60×3.8mm	16.0×3.2mm
	K020	XM8	HIPS/ABS	70×20mm	60×4.0mm	13.0×3.5mm
	K021	LP-C	HIPS/ABS	90×21mm	60×4.0mm	19.0×3.5mm
	K022	BH	HIPS/ABS	80×16mm	70×3.5mm	18.9×2.3mm
	K023	AP	HIPS/ABS	90×16mm	80×4.0mm	16.0×3.7mm
	K024	JWF-DL	HIPS/ABS	90×16mm	60×4.0mm	15.4×3.5mm
	K026	RY	HIPS/ABS	90×18mm	60×4.0mm	18.8×3.8mm



* REF	产品编号 NO.	品名 NAME	材质 Material	产品尺寸 Size	卡槽尺寸 Strip size	窗口尺寸 Window size
	K027	NWZ	HIPS/ABS	100×18mm	60×3.5mm	15.0×3.4mm
	K028	XHYL	HIPS/ABS	100×16mm	70×4.0mm	16.0×3.7mm
	K029	ML	HIPS/ABS	100×16mm	78×4.0mm	20.3×3.9mm
	K030	BLMS	HIPS/ABS	65×30mm	60×6.0mm	17.6×5.8mm
	K031	747	HIPS/ABS	66×27mm	60×4.0mm	15.1×4.0mm
	K032	WFT	HIPS/ABS	65×30mm	60×4.0mm	14.0×3.6mm
	K033	IT	HIPS/ABS	72×38mm	/	/
	K035	XH	HIPS/ABS	71×20mm	64×4.5mm	16.7×5.8mm

塑料卡壳 PLASTIC CASSETTE



K036 K037 K038 K039 K040 K041 K042 K043

* REF	产品编号 NO.	品名 Name	MAT 材质 Material	产品尺寸 Size	卡槽尺寸 Strip size	窗口尺寸 Window size
	K036	WHF	HIPS/ABS	75×27mm	64×6.0mm	15.0×4.7mm
	K037	LK4-1	HIPS/ABS	70×20mm	65×4.0mm	15.2×3.8mm
	K038	LK4-B	HIPS/ABS	70×20mm	60×4.0mm	15.6×3.8mm
	K039	AC	HIPS/ABS	75×22mm	60×3.0mm	14.5×2.6mm
	K040	HA	HIPS/ABS	75×22mm	60×3.5mm	15.7×3.3mm
	K041	JND	HIPS/ABS	75×22mm	60×3.0mm	15.2×2.7mm
	K042	CDCY-1	HIPS/ABS	70×20mm	60×4.0mm	14.0×3.7mm
	K043	ADSS	HIPS/ABS	70×24mm	60×3.0mm	13.0×2.9mm

塑料卡壳 PLASTIC CASSETTE



K053 K054 K055 K056 K057 K058 K059 K060

* REF	产品编号 NO.	品名 Name	MAT 材质 Material	产品尺寸 Size	卡槽尺寸 Strip size	窗口尺寸 Window size
	K053	LK1	HIPS/ABS	80×24mm	70×4.0mm	12.0×3.6mm
	K054	M10	HIPS/ABS	80×20mm	75×4.0mm	13.0×3.5mm
	K055	M11	HIPS/ABS	90×20mm	85×3.5mm	12.2×3.6mm
	K056	LK7	HIPS/ABS	63×10mm	60×2.5mm	11.8×2.3mm
	K057	LK5	HIPS/ABS	67×12.5mm	60×2.5mm	12.5×2.2mm
	K058	M7	HIPS/ABS	66×12.5mm	60×3.0mm	12.4×2.6mm
	K059	CDCY-2	HIPS/ABS	70×15mm	60×2.5mm	11.8×2.3mm
	K060	M13	HIPS/ABS	68×16mm	60×3.0mm	12.0×2.9mm



K044 K045 K046 K047 K048 K049 K051 K052

* REF	产品编号 NO.	品名 Name	MAT 材质 Material	产品尺寸 Size	卡槽尺寸 Strip size	窗口尺寸 Window size
	K044	WT	HIPS/ABS	75×20mm	60×4.0mm	12.0×3.5mm
	K045	WD	HIPS/ABS	70×20mm	60×3.5mm	27.1×2.9mm
	K046	BGX	HIPS/ABS	80×26mm	65×4.0mm	14.8×3.7mm
	K047	NJ	HIPS/ABS	80.5×20mm	75×4.0mm	13.0×3.7mm
	K048	YSMQ	HIPS/ABS	77×28mm	70×5.0mm	12.0×3.8mm
	K049	ZJAT	HIPS/ABS	85×28mm	70×4.0mm	18.0×3.8mm
	K051	ZQT	HIPS/ABS	95×22mm	70×4.5mm	17.1×4.0mm
	K052	LK2	HIPS/ABS	75×20mm	60×4.0mm	16.1×3.6mm



K110 K111 K112 K113 K114 K115 K116 K117

* REF	产品编号 NO.	品名 Name	MAT 材质 Material	产品尺寸 Size	卡槽尺寸 Strip size	窗口尺寸 Window size
	K110	LEK	HIPS/ABS	20×20mm	/	/
	K111	YS	HIPS/ABS	42×28mm	/	/
	K112	FX-1	HIPS/ABS	67×25mm	65×4.0mm	/
	K113	LK6	HIPS/ABS	70×24mm	60×3.0mm	/
	K114	JWFEX	HIPS/ABS	70×20mm	60×4.0mm	60×4.0mm
	K115	JWFSX	HIPS/ABS	70×20mm	60×4.0mm	/
	K116	JHSX	HIPS/ABS	90×25mm	80×4.0mm	/
	K117	DYLB	HIPS/ABS	100×16mm	70×4.0mm	/

塑料卡壳 PLASTIC CASSETTE



* REF	产品编号 NO.	品名 NAME	材质 MAT	产品尺寸 Size	卡槽尺寸 Strip size	窗口尺寸 Window size
	K118	XHYL-B	HIPS/ABS	100×16mm	80×4.0mm	16×3.8mm
	K119	RSID	HIPS/ABS	70.7×23mm	60×4.0mm	15×4.0mm
	K120	NAL-1	HIPS/ABS	70.3×25mm	60×4.0mm	17.5×3.6mm
	K122	BJ-JNX	HIPS/ABS	71.8×20mm	64×3.5mm	12×3.3mm
	K124	NWZ-ID	HIPS/ABS	29×18mm	/	/
	K125	NWZ-C	HIPS/ABS	78×17mm	60×3.5mm	15×3.4mm
	K126	WX-TZYK	HIPS/ABS	85×20mm	76×4.0mm	19×3.8mm
	K127	M5-B	HIPS/ABS	82×18mm	70×4.0mm	12×3.5mm


塑料卡壳 PLASTIC CASSETTE



* REF	产品编号 NO.	品名 NAME	材质 MAT	产品尺寸 Size	卡槽尺寸 Strip size	窗口尺寸 Window size
	K139	X80	HIPS/ABS	80×20mm	60×4.0mm	12.5×4.0mm
	K140	JNS-1	HIPS/ABS	70×18mm	60×4.0mm	15.0×3.7mm
	K141	ZF	HIPS/ABS	90×17mm	60×3.5mm	15.0×3.5mm
	K145	HBGG	HIPS/ABS	75×20mm	60×4.0mm	15.0×3.6mm
	K146	FDJ	HIPS/ABS	75×27mm	64×6.0mm	15.0×4.7mm
	K147	NP	HIPS/ABS	100×16mm	78.8×4.0mm	19.0×3.4mm
	K149	PBW	HIPS/ABS	70×20mm	60×3.8mm	15.8×3.3mm
	K154	RH	HIPS/ABS	100×18mm	78×4.0mm	16.0×4.0mm



* REF	产品编号 NO.	品名 NAME	材质 MAT	产品尺寸 Size	卡槽尺寸 Strip size	窗口尺寸 Window size
	K128	DH	HIPS/ABS	75×25mm	65×9.0mm	12.6×8.6mm
	K129	PLY	HIPS/ABS	70×30mm	60×8.0mm	15×8.0mm
	K132	HKT	HIPS/ABS	97.5×18mm	70×4.0mm	15×3.6mm
	K133	ABS-C	HIPS/ABS	99×18mm	80×4.0mm	18.7×3.6mm
	K134	WD-D	HIPS/ABS	99×20mm	80×4.0mm	18.7×3.3mm
	K136	HAMK	HIPS/ABS	100×20mm	85.2×4.5mm	27×4.2mm
	K137	WE-5	HIPS/ABS	70×20mm	60×3.0mm	16.0×2.7mm
	K138	WE-2-K	HIPS/ABS	70×20mm	60×4.0mm	16.0×3.7mm



* REF	产品编号 NO.	品名 NAME	材质 MAT	产品尺寸 Size	卡槽尺寸 Strip size	窗口尺寸 Window size
	K155	DDTD	HIPS/ABS	70×20mm	60×4.0mm	13.0×3.3mm
	K157	XH	HIPS/ABS	71×22.6mm	65×4.7mm	16.7×5.5mm
	K158	WHZZ	HIPS/ABS	100×18mm	60×4.0mm	18.0×3.8mm
	K160	MQ	HIPS/ABS	65×15mm	60×3.0mm	15.0×2.5mm
	K161	IST-1	HIPS/ABS	76×21.8mm	60×5.0mm	18.2×4.0mm
	K162	APN	HIPS/ABS	77×20mm	65×4.2mm	14.8×3.6mm
	K163	BHS	HIPS/ABS	100×16mm	60×4.0mm	18.0×3.7mm
	K164	ZJAT-SS	HIPS/ABS	70×20mm	60×3.6mm	15.8×3.0



K165

K166

K167

K168

K169

* REF	产品编号 NO.	品名 Name	MAT 材质 Material	产品尺寸 Size	卡槽尺寸 Strip size	窗口尺寸 Window size
	K165	YHJK	HIPS/ABS	80×24mm	60×4.0mm	12.6×3.6mm
	K166	NKD	HIPS/ABS	77×20mm	63×4.9mm	25.0×4.2mm
	K167	FWE	HIPS/ABS	90×21mm		19.0×3.4mm
	K168	GZGX	HIPS/ABS	95×20mm	60×4.0mm	16.0×3.7mm
	K168	AKRS	HIPS/ABS	93×17mm	80×4.0mm	39.0×3.6mm



K061

K062

K064

K502

K501

K144

* REF	产品编号 NO.	品名 Name	MAT 材质 Material	产品尺寸 Size	卡槽尺寸 Strip size	窗口尺寸 Window size
	K061	二滴孔卡-4.0 (Multi-2)	HIPS/ABS	70×30mm	60×4.0mm	17.5×3.5mm
	K062	BHS二滴孔卡 (BHS Multi-2)	HIPS/ABS	70×30mm	60×4.0mm	12.0×3.5mm
	K064	TZYK二滴孔卡 (TZYK Multi-2)	HIPS/ABS	70×45mm	60×4.0mm	16.0×3.8mm
	K502	二滴孔卡-3.0 (Multi-2)	HIPS/ABS	70×32mm	60×3.0mm	17.5×2.7mm
	K501	AC二滴孔卡 (AC Multi-2)	HIPS/ABS	70×32mm	60×4.0mm	14.5×3.7mm
	K144	SAP-2	HIPS/ABS	80×24mm	60×4.0mm	14.6×3.5mm



K170

K171

K172

* REF	产品编号 NO.	品名 Name	MAT 材质 Material	产品尺寸 Size	卡槽尺寸 Strip size	窗口尺寸 Window size
	K170	LK4-3mm	HIPS/ABS	70×20mm	60×3.0mm	15.6×3.0mm
	K171	KSRY	HIPS/ABS	100×18mm	60×4.0mm	19.0×3.8mm
	K172	BJDD	HIPS/ABS	100×16mm	80×4.0mm	19.0×3.7mm



K063

K065

K066

K067

K087

* REF	产品编号 NO.	品名 Name	MAT 材质 Material	产品尺寸 Size	卡槽尺寸 Strip size	窗口尺寸 Window size
	K063	BHS三滴孔卡 (BHS Multi-3)	HIPS/ABS	70×40mm	60×4.0mm	12.0×3.5mm
	K065	三滴孔卡 (Multi-3)	HIPS/ABS	70×44mm	60×3.0mm	17.6×2.9mm
	K066	直线三滴孔卡 (ZX Multi-3)	HIPS/ABS	70×45mm	60×3.0mm	13.3×2.9mm
	K067	三滴孔卡 (Multi-3)	HIPS/ABS	70×45mm	60×4.0mm	17.6×3.4mm
	K087	TZYK三滴孔卡 (TZYK Multi-3)	HIPS/ABS	70×44mm	60×4.0mm	16.0×3.7mm



K068

K156

K069

* REF	产品编号 NO.	V NAME 品名 Name	MAT 材质 Material	产品尺寸 Size	卡槽尺寸 Strip size	窗口尺寸 Window size
	K068	四滴孔卡-4.0(Multi-4)	HIPS/ABS	70×56mm	60×4.0mm	17.4×3.5mm
	K156	四滴孔卡-4.0(Multi-4)	HIPS/ABS	70×56mm	60×3.0mm	17.4×2.9mm
	K069	五滴孔卡(Multi-5)	HIPS/ABS	70×65mm	60×4.0mm	17.4×3.5mm



08

毒品检测系列 DRUG TEST CASSETTE AND CUP

产品特点：

- 高强度环保材料，高度吻合装配，精准卡位装工，为检测试剂条的全自动装配、稳定精确上样提供强有力的保障；
- 主要应用于IVD/POCT/PCR快速检测，如新冠、登革热等传染病，毒品、食品安全、动物检测等领域的快速检测；
- 装配吻合度高，装配段差可做到0.1mm内；
- 可根据客户需要增加丝印，镭雕，喷码等工艺；
- 精准卡位加工，卡位间距误差0.05mm内。

Product features:

- High-strength environmental protection materials, high goodness of fit of assembly, precise fitting position installation, a powerful guarantee for fully automatic strip assembling machine;
- Mainly used for IVD/POCT/PCR rapid tests, such as COVID-19, dengue and other infectious diseases, drugs, food safety, animal detection and other fields of rapid test;
- High goodness of fit of assembly, tolerance of assembly <0.1mm;
- Additional service – pad printing, screen printing, laser printing, QR code printing and other processes according to customers' needs;
- Precise fitting position installation, tolerance of cassette position <0.05mm
- No crack or separation in 1.5 meters drop test.



K070

K071

K072

K072

* REF	产品编号 NO.	V NAME 品名 Name	MAT 材质 Material	产品尺寸 Size	卡槽尺寸 Strip size	窗口尺寸 Window size
	K070	HJ六孔卡(HJ Multi-6)	HIPS/ABS	70×20mm	60×5.0mm	/
	K071	AT六孔卡(AT Multi-6)	HIPS/ABS	70×30mm	/	/
	K072	六孔卡(Multi-6)	HIPS/ABS	82×42mm	60×3.0mm	29.7×9.0

毒品检测系列 DRUG TEST CASSETTE AND CUP



* REF	产品编号 NO.	品名 Name	容量 Capacity	材质 Material	高度 Height	含盖直径 Outside Diameter	卡槽数量 Strip Quantity	窗口尺寸 Window size
	YP009	毒品检测杯-B(Drug test urine cup-B)	100ml	PP	78.3mm	57.0mm	18条(PCS)	4.3mm
	YP010	毒品检测杯-D(Drug test urine cup-D)	110ml	PP	69.6mm	65.3mm	14条(PCS)	4.0mm


毒品检测系列 DRUG TEST CASSETTE AND CUP



* REF	产品编号 NO.	品名 Name	材质 Material	产品尺寸 Size	卡槽尺寸 Strip size	包装规格 Packing
	K079	毒品二合一联板(DOA panel B-2)	ABS	93×27mm	4mm	5000套/箱(Pcs/Box)
	K080	毒品三合一联板(DOA panel B-3)	ABS	93×27mm	4mm	5000套/箱(Pcs/Box)
	K081	毒品四合一联板(DOA panel B-4)	ABS	93×45.5mm	4mm	3500套/箱(Pcs/Box)
	K082	毒品五合一联板(DOA panel B-5)	ABS	93×45.5mm	4mm	3500套/箱(Pcs/Box)



* REF	产品编号 NO.	品名 Name	材质 Material	产品尺寸 Size	卡槽尺寸 Strip size	包装规格 Packing
	K073	单条插板(Panel A-1)	ABS	90×16mm	4mm	12000套/箱(Pcs/Box)
	K074	二合一插板(Panel A-2)	ABS	91×22mm	4mm	5000套/箱(Pcs/Box)
	K076	四合一插板(Panel A-4)	ABS	91×38mm	4mm	3200套/箱(Pcs/Box)
	K077	十合一插板(Panel A-10)	ABS	94×46mm	4mm	4500套/箱(Pcs/Box)
	K078	六合一插板(Panel A-6)	ABS	94×48mm	4mm	4500套/箱(Pcs/Box)



* REF	产品编号 NO.	品名 Name	材质 Material	产品尺寸 Size	卡槽尺寸 Strip size	包装规格 Packing
	K083	毒品六合一联板(DOA panel B-6)	ABS	93×45.5mm	4mm	3500套/箱(Pcs/Box)
	K084	毒品七合一联板(DOA panel B-7)	ABS	93×45.5mm	3mm	3500套/箱(Pcs/Box)
	K085	毒品八合一联板(DOA panel B-8)	ABS	93×45.5mm	3mm	3500套/箱(Pcs/Box)

09

笔形卡
MIDSTREAM CASSETTE

滴瓶 MIDSTREAM CASSETTE



产品特点：

- 高强度环保材料，高度吻合装配，精准卡位装工，为检测试剂条的全自动装配、稳定精确上样提供强有力的保障；
- 主要应用于IVD/POCT/PCR快速检测，如新冠、登革热等传染病，毒品、食品安全、动物检测等领域的快速检测；
- 装配吻合度高，装配段差可做到0.1mm内；
- 可根据客户需要增加丝印，镭雕，喷码等工艺；
- 精准卡位加工，卡位间距误差0.05mm内。

Product features:

- High-strength environmental protection materials, high goodness of fit of assembly, precise fitting position installation, a powerful guarantee for fully automatic strip assembling machine;
- Mainly used for IVD/POCT/PCR rapid tests, such as COVID-19, dengue and other infectious diseases, drugs, food safety, animal detection and other fields of rapid test;
- High goodness of fit of assembly, tolerance of assembly <0.1mm;
- Additional service — pad printing, screen printing, laser printing, QR-code printing and other processes according to customers' needs;
- Precise fitting position installation, tolerance of cassette position <0.05mm
- No crack or separation in 1.5 meters drop test.

* REF	产品编号 NO.	品名 NAME	MAT 材质 Material	产品尺寸 Size	卡槽尺寸 Strip size	包装规格 Packing
	BK001	WH小笔卡5.0mm (WH-1)	HIPS/ABS	106.5×15.3mm	65×5.0mm	500/包(Bag) 5000/箱(Box)
	BK002	YDBK笔型卡3.5mm (YKBD)	HIPS/ABS	102.6×12.0mm	62×3.5mm	1000/包(Bag) 5000/箱(Box)
	BK003	LJ小笔卡4.0mm (LJ-1)	HIPS/ABS	101.9×12.0mm	83×4.0mm	1000/包(Bag) 5000/箱(Box)
	BK004	YSWT大笔卡6.0mm (YSWT-1)	HIPS/ABS	120.0×16.3mm	76×6.0mm	1000/包(Bag) 5000/箱(Box)
	BK005	ZD大笔卡4.0mm (ZD-1)	HIPS/ABS	123.6×13.5mm	94×4.0mm	500/包(Bag) 3000/箱(Box)
	BK006	WHBK大笔卡3.5mm (WHBK)	HIPS/ABS	138.2×15.4mm	95×3.5mm	500/包(Bag) 3000/箱(Box)
	BK007	LKD大笔卡6.0mm (LKD-1)	HIPS/ABS	120.0×16.6mm	95×6.0mm	300/包(Bag) 3000/箱(Box)
	BK008	访日笔6.0mm (FRB)	HIPS/ABS	143.4×16.0mm	95×6.0mm	300/包(Bag) 3000/箱(Box)
	BK009	Ac大笔卡6.0mm (AC-1)	HIPS/ABS	142.2×20.8mm	95×6.0mm	500/包(Bag) 2000/箱(Box)
	BK010	LJ大笔卡6.0mm (LJ-2)	HIPS/ABS	139.6×21.2mm	95×6.0mm	500/包(Bag) 2000/箱(Box)

10

定量采血检验耗材
FIXED VOLUME BLOOD
COLLECTION CONSUMABLES

POCT检测中需要定量吸取微量血液并进行稀释后，再定量滴加而开发的一款产品。
POCT test requires to take a fixed volume of blood, then dilute it and drop out a fixed volume.

产品特点：

- 吸头使用高透明PS材料，并采用先进的生产工艺制成，产品挺直，无弯曲变形，具有极高的品质和精准性；
- 根据客户的需要，取样的范围可以在2.5ul-30ul之间定制；
- 高品质吸头，采用精密模具，内管壁光滑，定量吸液，吸液速度快（只需0.02秒），方便移液，操作简便；
- 具有通用性，适配性强；
- 吸头在洁净环境下生产，产品无DNA酶、RNA酶、内毒素。

Product features:

- Pipettes are produced with highly transparent PS materials and advanced production processes and have high quality and precision;
- 2.5μL-30μL can be sampled according to customers' needs;
- High-quality pipettes are made with precision mould and have the features of smooth internal wall, fast collecting (0.02 seconds), convenient operation;
- universality, strong adaptability;
- Pipettes are produced in a dust-free environment and DNase/RNase-free, non pyrogenic, non-cytotoxic.

定量采血检验耗材 FIXED VOLUME BLOOD COLLECTION CONSUMABLES



CX001
5μl定量吸滴管+管帽
Blood collector-5μl & Cover

CX002
10μl定量吸滴管+管帽
Blood collector-10μl & Cover



CY001
3μl采血棒
Invert cup-3μl

CY013
10~20μl毛细采血管
Capillary pipette-10~20μl

* REF	产品编号 NO.	品名 Name	采血量 Blood capacity taken	产品尺寸 Size	包装规格 Packing
	CX001	CX定量吸头(Blood collector)	5μl	30.5×15.3mm	5000个/箱(Pcs/box)
	CX002	CX定量吸头(Blood collector)	10μl	30.5×15.3mm	5000个/箱(Pcs/box)
	CY001	采血棒(Blood collector rod)	3μl	80.0×2.0mm	20000个/箱(Pcs/box)
	CY013	毛细采血管(Capillary pipette)	10~20μl	90.0×2.0mm	20000个/箱(Pcs/box)

11

FOB采便管 FECAL OCCULT BLOOD SAMPLE TUBE

FOB采便管 FECAL OCCULT BLOOD SAMPLE TUBE



产品特点：

- 采用符合USP-ClassV标准聚丙烯和100%纯聚乙烯原料，GMP10万级洁净车间生产；
- 密封性能优异，100%确保不漏液；
- 容量包含3ml和5ml装量，可立；
- 规格分为普通款和定量款，一体化密封式设计，保证标本检验前的预备处理工作在完全的容器中进行，处理过程轻松、便捷、安全、卫生；采样头的多凹槽设计，标本采集规范化，定量化；
- 盖子分不掰断式和旋帽式，多样化可供用户选择；
- 可根据用户需求，加装过滤滤芯，孔径可以根据要求定做。

Product features:

- USP-ClassV polypropylene and 100% pure polyethylene materials, GMP dust-free clean workshop;
- The bottles can store a small quantity of liquid and has excellent leak-proof to guarantee it no leak;
- 3ml and 5ml volume, vertical self-stand;
- Specifications: Regular and fixed volume collection; integrated sealing design ensures the samples implementation of pretreatment in container; handling process is easy, convenient, safe and sanitary; special designs of sampling stick achieves normalized and fixed-volume sample collection;
- Breakable caps and thread caps are provided for users;
- Customized filter can be installed according to users' needs.

REF	产品编号 NO.	品名 NAME	容量 Capacity	材质 Material	高度 Height	管体外径 Outside Diameter	盖子结构 Cap Type	取样装置 Sampling Stick	包装规格 Packing
	CB001	D01	5ml	LDPE	75.40mm	14.8mm	掰断式(Breakable)	棒型(Spiral)	5000个/箱(Pcs/Box)
	CB002	D02	5ml	LDPE	78.45mm	13.2mm	掰断式(Breakable)	棒/勺型(Spiral/Spoon)	5000个/箱(Pcs/Box)
	CB003	D03	5ml	LDPE	78.45mm	13.2mm	掰断扣帽式(Breakable&Push Tip)	棒/勺型(Spiral/Spoon)	5000个/箱(Pcs/Box)
	CB004	D04	5ml	LDPE	76.67mm	13.2mm	螺旋式(Screw cap)	棒/勺型(Spiral/Spoon)	5000个/箱(Pcs/Box)
	CB005	D05	5ml	LDPE	78.00mm	13.2mm	螺旋式(Screw cap)	棒/勺型(Spiral/Spoon)	5000个/箱(Pcs/Box)
	CB019	D19	3ml	LDPE	80.80mm	10.5mm	掰断式/掰断扣帽(Breadable&Push Tip)	棒/勺型(Spiral/Spoon)	7000个/箱(Pcs/Box)
	CB020	D20	3ml	LDPE	80.50mm	10.5mm	螺旋式(Screw cap)	棒/勺型(Spiral/Spoon)	7000个/箱(Pcs/Box)
	CB021	D21	5ml	LDPE	79.00mm	13.2mm	掰断式/掰断扣帽(Breadable&Push Tip)	棒/勺型(Spiral/Spoon)	7000个/箱(Pcs/Box)
	CB022	D01-10ml	10ml	LDPE	91.30mm	16.3mm	掰断式(Breakable)	棒/勺型(Spiral/Spoon)	3000个/箱(Pcs/Box)

FOB采便管 FECAL OCCULT BLOOD SAMPLE TUBE



* REF	产品编号 NO.	品名 Name	容量 Capacity	材质 Material	高度 Height	管体外径 Outside Diameter	盖子结构 Cap Type	取样装置 Sampling Stick	包装规格 Packing
	CB006	D06	5ml	LDPE	74.3mm	13.4mm	掰断式/螺旋式(Breakable/Screw cap)	棒型(Spiral)	5000个/箱(Pcs/Box)
	CB007	D07	5ml	LDPE	99.4mm	28.0mm	掰断式/螺旋式(Breakable/Screw cap)	棒型(Spiral)	2000个/箱(Pcs/Box)
	CB008	D08	5ml	PP	99.3mm	16.8mm	螺旋式(Screw cap)	棒型(Spiral)	2000个/箱(Pcs/Box)
	CB010	D10	5ml	PP	116.7mm	12.3mm	螺旋式(Screw cap)	棒型(Spiral)	2000个/箱(Pcs/Box)

FOB采便管 FECAL OCCULT BLOOD SAMPLE TUBE



* REF	产品编号 NO.	品名 Name	容量 Capacity	材质 Material	高度 Height	管体外径 Outside Diameter	盖子结构 Cap Type	取样装置 Sampling Stick	包装规格 Packing
	CB011	D11	5ml	LDPE	91.0mm	22.7mm	螺旋式(Screw cap)	棒型(Spiral)	3000个/箱(Pcs/Box)
	CB012	D12	5ml	LDPE	99.5mm	10.5mm	螺旋式(Screw cap)	棒型(Spiral)	2000个/箱(Pcs/Box)

12

提取管
EXTRACTION TUBE

提取管/托盘 EXTRACTION TUBE & RACK



* REF	产品编号 NO.	容量 Capacity	MAT 材质 Material	高度 Height	外径 External Diameter	包装规格 Packing
	CT001	1.5ml	LDPE	62.00mm	12.00mm	6000个/箱(Pcs/Box)
	CT003	1.5ml	PP	60.00mm	18.60mm	5000个/箱(Pcs/Box)
	CT004	1.5ml	PP	50.00mm	15.00mm	5000个/箱(Pcs/Box)
	CT006	1.5ml	PP	60.00mm	18.00mm	7000个/箱(Pcs/Box)
	CT008	1.5ml	LDPE	65.00mm	12.50mm	8000个/箱(Pcs/Box)
	CT009	1.0ml	LDPE	57.00mm	11.50mm	10000个/箱(Pcs/Box)
	CT014	10Well	PVC	15.00mm	120×60mm	5000个/箱(Pcs/Box)

产品特点：

- 提取管材质分为PP/PE材质，GMP10万级洁净车间生产；
- 规格有0.5ml、1ml、1.5ml、2ml、3ml、5ml、10ml、20ml，可用于抽取普通或粘稠液体滴定，可带滤芯，普通液体、粘稠液体、不纯液体均可抽提滴定；
- 用于检测病毒抗体（IgM抗体）时配合胶体金试纸进行快速检测，检测方便，一般10-15分钟即可出结果；
- 使用范围：工业化学，环境检测、生物化学、核酸、抗原检测试剂缓冲液的移液，产品具有密封性好，滴头纯原材料生产，误差小等特点。

Product features:

- Materials of extraction tube made of PP/PE, produced in GMP dust-free clean workshop;
- Specifications: 0.5ml, 1ml, 1.5ml, 2ml, 3ml, 5ml, 10ml and 20ml. It can be used to extract regular or thick fluid. It can install a filter in the dropper. It can be used for regular fluid, thick fluid and impure fluid;
- In IgM antibody test, it can output results in 10-15 minutes with collaurum test kit;
- Scope of use: industrial chemistry, environment test, biochemistry, nucleic acid and antigen detection reagent buffer solution relief. The product has good leakproofness, dropper made of pure materials and small tolerance.

提取管 EXTRACTION TUBE



* REF 产品编号 NO.	容量 Capacity	MAT 材质 Material	高度 Height	外径 External Diameter	包装规格 Packing
CT007	3.0ml	LDPE	80.00mm	16.50mm	7000个/箱(Pcs/Box)
CT016	1.0ml	LDPE	59.00mm	12.00mm	10000个/箱(Pcs/Box)
CT017	1.0ml	LDPE	76.67mm	13.86mm	10000个/箱(Pcs/Box)
CT011	1.0ml	LDPE	58.00mm	9.00mm	10000个/箱(Pcs/Box)
YP012	1.8ml	PS	41.00mm	10.00mm	8000个/箱(Pcs/Box)
YP020	5.0ml	PP	58.00mm	21.00mm	4000个/箱(Pcs/Box)
YP013	20ml	PP	62.80mm	27.50mm	1800个/箱(Pcs/Box)
YP021	10ml	PP	102.0mm	21.00mm	2500个/箱(Pcs/Box)
YP019	5.0ml	PP	108.0mm	15.00mm	3500个/箱(Pcs/Box)

唾液采集器 SALIVA COLLECTION TUBE



* REF 产品编号 NO.	容量 Capacity	MAT 材质 Material	高度 Height	外径 External Diameter	包装规格 Packing
CT015	3ml	PP	78.0mm	46.0mm	7000个/箱(Pcs/Box)
YP022	5ml	PP	98.5mm	44.0mm	5000个/箱(Pcs/Box)
YP023	10ml	PP	146.0mm	44.0mm	5000个/箱(Pcs/Box)



13

试纸桶
DESICCANT TUBE

试纸桶 DESICCANT TUBE



* REF	产品编号 NO.	品名 Name	MAT 材质 Material	高度 Height	直径 Diameter	包装规格 Packing
	SZ001	H型试纸桶(TYPE-H)	PP	55mm	30mm	1500个/箱(Pcs/Box)
	SZ010	J型试纸桶(TYPE-J)	PP	69mm	30mm	2500个/箱(Pcs/Box)
	SZ003	A型-2试纸桶(TYPE-A)	PP	96mm	28mm	1800个/箱(Pcs/Box)
	SZ004	B型-2试纸桶(TYPE-B-2)	PP	105mm	30mm	2000个/箱(Pcs/Box)
	SZ005	C型试纸桶(TYPE-C)	PP	107mm	36mm	600个/箱(Pcs/Box)
	SZ014	A型试纸桶(TYPE-A)	PP	103mm	29mm	2000个/箱(Pcs/Box)
	SZ011	K型试纸桶(TYPE-K)	PP	101mm	28.5mm	2000个/箱(Pcs/Box)
	SZ012	L型试纸桶(TYPE-L)	PP	135mm	29mm	1200个/箱(Pcs/Box)
	SZ013	M型试纸桶(TYPE-M)	PP	147mm	29mm	1200个/箱(Pcs/Box)

产品特点：

- 试纸筒规格为20人份、25人份、50人份；采用符合USP-ClassV标准聚丙烯原料，GMP10万级洁净车间生产；
- 试纸筒在诊断试纸条包装方面运用最为广泛，潮湿是试纸变质的主要原因，要使此类易受潮产品保持保质期和准确性，适当的活性防潮包装必不可少；
- 顶部翻盖包装，有效防止测试条受潮，延长其保质期；
- 该产品由试纸桶和防潮组合盖2部分组成，采用内置式干燥剂设计，同时翻盖设计也帮助消费者更好的使用产品。

Product features:

- Specifications of desiccant tubes: 20 strips, 25 strips and 50 strips; USP-ClassV polypropylene materials, produced in GMP dust-free clean workshop;
- Desiccant tube is widely used in the packaging of diagnosis test strips. Wetness is the main cause of test strips invalid, appropriate active damp-proof package is necessary in order to ensure the quality and correctness of similar products;
- Flip-open cap can prevent test strip dampness and improve its expiration date;
- The product consists of desiccant tube and damp-proof cap and adopts built-in desiccant design. And the flip-open design is easy to operate.

试纸桶 DESICCANT TUBE



SZ006

SZ007

SZ008

SZ009

* REF NO.	品名 Name	MAT 材质 Material	高度 Height	直径 Diameter	包装规格 Packing
SZ006	D型试纸桶(TYPE-D)	PP	105mm	49mm	1200个/箱(Pcs/Box)
SZ007	E型试纸桶(TYPE-E)	PP	125mm	48mm	1200个/箱(Pcs/Box)
SZ008	F型试纸桶(TYPE-F)	PP	134mm	46mm	457个/箱(Pcs/Box)
SZ009	G型试纸桶(TYPE-G)	PP	150mm	46mm	300个/箱(Pcs/Box)



一次性尿杯
DISPOSABLE URINE CUP

产品特点：

- 尿杯材质为PVC和PP, 可用于实验室或医院中液体样品的盛装；GMP10万级洁净车间生产；
- 尿杯分为普通和带盖式，规格有2ml, 3ml, 5ml, 10ml, 30ml, 40ml, 50ml, 60ml, 100ml或更大的定制容量；

Product features:

- Urine cup made of PVC or PP, can be used for liquid sample containing in laboratory or hospital; produced in GMP dust-free clean workshop;
- Urine cups divided into regular urine cups and cover urine cups. Specifications: 2ml, 3ml, 5ml, 10ml, 30ml, 40ml, 50ml, 60ml and 100ml or bigger.

一次性尿杯 DISPOSABLE URINE CUP



* REF NO.	产品编号	V NAME 品名	规格 Specs	MAT Material 材质	高度直径 Height or Diameter	包装规格 Packing
NB001		方尿杯(Urine cup-square)	5ml	PVC	10.5mm	20000个/箱(Pcs/Box)
NB002		AT长柄尿杯(Urine cup-AT)	10ml	PVC	13.0mm	20000个/箱(Pcs/Box)
NB003		WH尿杯(Urine cup-WH)	15ml	PVC	15.0mm	20000个/箱(Pcs/Box)
NB005		30B尿杯(Urine cup-30B)	30ml	PVC	36.0mm	20000个/箱(Pcs/Box)
NB006		折叠尿杯(Fold urine cup)	15ml	PVC	15.0mm	20000个/箱(Pcs/Box)
NB050		带盖尿杯(Urine cup with lid)	30ml	PP	43.0×49.0mm	1500个/箱(Pcs/Box)
NB051		带盖尿杯(Urine cup with lid)	40ml	PP	49.0×38.5mm	1500个/箱(Pcs/Box)
NB052		带盖尿杯(Urine cup with lid)	40ml	PP	49.0×38.5mm	1500个/箱(Pcs/Box)
NB053		带盖尿杯(Urine cup with lid)	50ml	PP	68.0×38.0mm	1500个/箱(Pcs/Box)
NB010		尿液采集器(Urine collector)	10ml	PP	104×14.8mm	1000套/箱(Pcs/Box)

15

一次性滴管
DISPOSABLE TRANSFER PIPETTE

产品特点：

- 一次性检测滴管材质为聚乙烯，尿杯材质为PVC,可用于实验室中样品溶液等的移液和盛装；GMP10万级洁净车间生产；
- 滴管规格分为普通滴管和定量滴管，普通滴管长度60mm-160mm不等，滴量为5μL、10μL、20μL、25μL、30μL、40μL、50μL，也可根据用户要求定制；
- 定量滴管容量为20μL、50μL、60μL、70μL、80μL、100μL、120μL、155μL、200μL、250μL、300μL、400μL、500μL、650μL、1000μL；误差<5%；

Product features:

- Disposable transfer pipette made of polyethylene, produced in GMP dust-free clean workshop;
- Specifications of transfer pipette: regular pipette and fixed volume pipette, length of regular pipette is from 60mm-160mm, drop volume can be 5μL 10μL, 20μL, 25μL, 30μL, 40μL, 50μL or customized;
- Drop volume of fixed volume pipette: 20μL, 50μL, 60μL, 70μL, 80μL, 100μL, 120μL, 155μL, 200μL, 250μL, 300μL, 400μL, 500μL, 650μL and 1000μL; tolerance<5%.

一次性滴管 DISPOSABLE TRANSFER PIPETTE




* REF	产品编号 NO.	品名 Name	滴量 Dropper Volume	材质 Material	长度 Length	包装规格 Packing
	DG013	XC-4	10µl	PE	61mm	2000/包(Bag) 30000/箱(Box)
	DG004	AD-4	10µl	PE	79mm	1000/包(Bag) 20000/箱(Box)
	DG042	XC-6	10µl	PE	85mm	1000/包(Bag) 30000/箱(Box)
	DG025	103吸管	10µl	PE	110mm	1000/包(Bag) 30000/箱(Box)
	DG011	LKT-2	20µl	PE	65mm	1000/包(Bag) 30000/箱(Box)
	DG045	AD-7	20µl	PE	67mm	1000/包(Bag) 50000/箱(Box)
	DG043	103吸管	20µl	PE	108mm	1000/包(Bag) 30000/箱(Box)
	DG037	82mm	20µl	PE	82mm	1000/包(Bag) 30000/箱(Box)
	DG038	TR	20µl	PE	83mm	1000/包(Bag) 30000/箱(Box)

一次性滴管 DISPOSABLE TRANSFER PIPETTE




* REF	产品编号 NO.	品名 Name	滴量 Dropper Volume	材质 Material	长度 Length	包装规格 Packing
	DG005	AD-5	25µl	PE	80mm	1000/包(Bag) 30000/箱(Box)
	DG022	WF-1	30µl	PE	60mm	1000/包(Bag) 30000/箱(Box)
	DG001	AD-1	30µl	PE	65mm	1000/包(Bag) 30000/箱(Box)
	DG046	80切口	30µl	PE	80mm	1000/包(Bag) 30000/箱(Box)
	DG017	XC-1	30µl	PE	85mm	1000/包(Bag) 50000/箱(Box)
	DG024	WF-2	30µl	PE	95mm	1000/包(Bag) 30000/箱(Box)
	DG009	90切口	30µl	PE	90mm	1000/包(Bag) 30000/箱(Box)
	DG044	103吸管	30µl	PE	110mm	1000/包(Bag) 30000/箱(Box)
	DG007	WH-1	30µl	PE	65mm	1000/包(Bag) 24000/箱(Box)

一次性滴管 DISPOSABLE TRANSFER PIPETTE



* REF	产品编号 NO.	品名 NAME	滴量 Dropper Volume	材质 Material	长度 Length	包装规格 Packing
	DG049	0.3ml	40μl	PE	75mm	1000/包(Bag) 20000/箱(Box)
	DG050	D-80	40μl	PE	78mm	1000/包(Bag) 20000/箱(Box)
	DG039	LY-1	40μl	PE	75mm	1000/包(Bag) 20000/箱(Box)
	DG040	LY-2	50μl	PE	75mm	1000/包(Bag) 20000/箱(Box)
	DG012	0.5刻度	50μl	PE	85mm	1000/包(Bag) 28000/箱(Box)
	DG041	HIV	50μl	PE	85mm	1000/包(Bag) 24000/箱(Box)
	DG021	SM-617	60μl	PE	75mm	1000/包(Bag) 30000/箱(Box)
	DG047	1ml		PE	145mm	1000/包(Bag) 20000/箱(Box)
	DG048	3ml		PE	160mm	1000/包(Bag) 5000/箱(Box)

一次性滴管 DISPOSABLE TRANSFER PIPETTE



* REF	产品编号 NO.	品名 NAME	滴量 Dropper Volume	材质 Material	长度 Length	包装规格 Packing
	LB001	LB-20μl	20μl	PE	68mm	1000/包(Bag) 20000/箱(Box)
	LB002	LB-50μl	50μl	PE	108mm	1000/包(Bag) 20000/箱(Box)
	LB003	LB-60μl	60μl	PE	81mm	1000/包(Bag) 20000/箱(Box)
	LB004	LB-70μl	70μl	PE	84mm	1000/包(Bag) 20000/箱(Box)
	LB005	LB-80μl	80μl	PE	97mm	1000/包(Bag) 20000/箱(Box)
	LB006	LB-100μl	100μl	PE	86mm	1000/包(Bag) 20000/箱(Box)
	LB007	LB-120μl	120μl	PE	92mm	1000/包(Bag) 20000/箱(Box)
	LB008	LB-155μl	155μl	PE	105mm	1000/包(Bag) 20000/箱(Box)
	LB009	LB-200μl	200μl	PE	95mm	1000/包(Bag) 20000/箱(Box)
	LB010	LB-250μl	250μl	PE	96mm	1000/包(Bag) 20000/箱(Box)
	LB011	LB-300μl	300μl	PE	118mm	1000/包(Bag) 20000/箱(Box)
	LB012	LB-400μl	400μl	PE	115mm	1000/包(Bag) 20000/箱(Box)
	LB013	LB-500μl	500μl	PE	120mm	1000/包(Bag) 20000/箱(Box)
	LB014	LB-600μl	600μl	PE	152mm	1000/包(Bag) 20000/箱(Box)
	LB015	LB-1000μl	1000μl	PE	156mm	1000/包(Bag) 20000/箱(Box)

16

吸头
PIPETTE TIP

吸头 PIPETTE TIP

WWW.SHENGFENGPACK.COM

WWW.SHENGFENGPACK.COM



产品特点：

- 吸头采用医疗级聚丙烯(PP)原料，采用先进的生产工艺制造，产品挺直，无弯曲变形，具有极高的品质和精准度；
- 吸头优化的形状设计具有通用性，完美适配于国内外知名品牌的移液器。带滤芯吸头可防止气溶胶在移液器和样本之间产生交叉污染；
- 根据不同要求，可选普通级和PCR级。在十万级净化车间生产，达PCR 洁净级，无 DNA酶、无 RNA酶、无热原。
- γ辐照灭菌，提供多支袋装或专用吸头盒装。



Product features:

- Pipette tips are made of medical grade polypropylene (PP) raw material and is manufactured by advanced production technology. The product is straight, without bending deformation, and has extremely high quality and accuracy.;
- The optimized shape design of the pipette tips are universal and perfectly suited to the pipettes of well-known brands on the world. Add filter prevents cross-contamination of aerosols between the pipette and the sample.;
- According to different requirements, regular grade and PCR grade can be selected. Produced in GMP dust-free clean workshop, up to PCR standard, DNase/RNase-free, non pyrogenic, non-cytotoxic;
- Irradiation sterilization. Available in customized package of bag or box.



800101

10µl吸头
Pipette tip-10µl

800201

200µl吸头
Pipette tip-200µl

800401

1000µl吸头
Pipette tip-1000µl


800501

1250µl吸头
Pipette tip-1250µl

* REF	产品编号 NO.	品名 Name	容量 Capacity	MAT 材质 Material	尺寸 Size	包装规格 Packing
	800101	吸头(Pipette tip)	10µl	PP	Φ6.0×31.7mm	1000/包(Bag) 20000/箱(Box)
	800201	吸头(Pipette tip)	200µl	PP	Φ7.4×50.5mm	1000/包(Bag) 20000/箱(Box)
	800401	吸头(Pipette tip)	1000µl	PP	Φ9.6×78.5mm	1000/包(Bag) 12000/箱(Box)
	800501	吸头(Pipette tip)	1250µl	PP	Φ9.0×102.0mm	1000/包(Bag) 12000/箱(Box)

WWW.SHENGFENGPACK.COM


其它耗材 OTHER CONSUMABLE ITEMS



* REF	产品编号 NO.	品名 Name	规格 Specs	包装规格 Packing
	LY001	留样盒(Sample box)	5ml	5000个/箱(Pcs/Box)
	XS001	稀释液瓶(Diluent bottle)	10g	5000个/箱(Pcs/Box)




* REF	产品编号 NO.	品名 Name
	SJ001	QP试剂盒-A (QP-reagent cassette A)
	SJ002	QP试剂盒-B (QP-reagent cassette B)




* REF	产品编号 NO.	品名 Name	尺寸 Size
	YP011	方形存液管 Square sampling tube	Φ12.5×39mm



* REF	产品编号 NO.	品名 Name	尺寸 Size
	YP041	尖形存液管 V-shape sampling tube	Φ12.5×39mm



* REF	产品编号 NO.	品名 Name	尺寸 Size
	FG001	96孔酶标板(96 well ELISA plates)	127×85×14mm
	FG003	酶标盖帽(ELISA plate cover)	



* REF	产品编号 NO.	品名 Name	尺寸 Size
	SX002	稀释液杯 Diluent cup	92×17×11mm

17

其它耗材
OTHER CONSUMABLE ITEMS

其它耗材产品特点：

- 高精度模具根据产品需求不同工艺制作成型，产品平整光洁；功能用途为采集、盛装、过滤、干燥等；
- 十万级无尘车间生产与包装，通过ISO13485体系认证。

Other consumable items features:

- High precision mold according to the product needs of different processes, the product clean and smooth; Functional uses for collection, containing, filtration, drying, etc.
- Producing and packing in GMP dust-free clean workshop, got certification of ISO13485 and CE.

酶标板产品特点：

- 优化裙边设计，8个限位孔帮助在PCR仪模块上放入和移取；
- 英文字母定位，效果清晰易读，且无污染；
- 样品孔突起边缘设计，减少交叉污染，实现有效密封；
- 可完美地应用于荧光定量实验；
- 无DNA酶、RNA酶、无热原，无抑制剂污染。

ELISA plate product features:

- Optimized skirt design, 8 wells to facilitate insertion and removal on the PCR machine;
- Letter positioning, clear and easy to read, and no pollution;
- Special sample well design, reduce cross contamination, achieve effective sealing;
- It can be used in fluorescence quantitative experiment perfectly;
- DNase/RNase-free, non pyrogenic, non-cytotoxic.

其它耗材 OTHER CONSUMABLE ITEMS



LY001

* REF	产品编号 NO.	品名 Name
	LY001	滤芯 Filter



CY005

* REF	产品编号 NO.	品名 Name	长度 Lenght
	CY005	搅拌棒 Mixing pipette	115mm



YP017

CY012

* REF	产品编号 NO.	品名 Name	尺寸 Size
	YP017	样品杯(Sample Cup)	Φ11.8×19mm
	CY012	采样勺(Sampling spoon)	



CY002

* REF	产品编号 NO.	品名 Name	长度 Lenght
	CY002	采便棒 Fecal sampling rod	118mm



CY009

CY008

* REF	产品编号 NO.	品名 Name	尺寸 Size
	CY009	安培瓶底托(Ampoule bottle protective base)	Φ13×18mm
	CY008	采样勺(Sampling spoon)	Φ3.0×78mm



GZ001

* REF	产品编号 NO.	品名 Name	规格 Specs	包装规格 Packing
	GZ001	硅胶干燥剂 Silica gel desiccant	0.3~20g	≈20kg



18

生化试剂瓶
BIOCHEMICAL BOTTLE

产品特点：

- 种类繁多，配套日立、科华、日本东亚、迈瑞、ABX等品牌试剂瓶；
- 密封瓶口，为确保液体有效期不变质螺纹采用360°从内到外密封设计，严防漏液；
- 瓶子内壁与液体接触，采用优质食品级原料合理加工，符合药品包装要求，确保药品安全性；
- 抗跌性强，采用吹塑加工的原理和坚韧材质，使瓶子抗摔性抗震荡性；
- 加厚防滑瓶底，瓶底凹凸设计，防止滑动，重心稳不易倾倒。

Product features:

- Various of models, fit for Hitachi, Kehua, SYSMEX, Mindray, ABX and other brands of reagent bottles;
- Sealed mouth, in order to ensure that the liquid validity period does not deteriorate, the thread adopts 360° sealing design from inside to outside, strictly prevent leakage;
- The bottles and caps are produced with high-quality raw material to meet the requirements of drug packaging;
- Strictly drop test, produced by injection blowing technical and tough material, so that make the bottles have great drop resistance;
- Non-slip bottom prevents sliding, bottle center of gravity is stable.

生化试剂瓶 BIOCHEMICAL BOTTLE



* REF NO.	产品编号 NO.	V NAME 品名	容量 Capacity	MAT 材质 Material
	SH001	配日立生化仪7170R ₂ 试剂瓶 (Fit for HITACHI 7150R ₂)	70ml	瓶体(Bottle body): HDPE 瓶盖(Cap): PP
	SH002	配日立生化仪7170R ₂ 试剂瓶 (Fit for HITACHI 7150R ₂)	20ml	
	SH003	配日立生化仪7170R ₂ 试剂瓶 (Fit for HITACHI 7150R ₂)	70ml	
	SH004	配日立生化仪7170R ₂ 试剂瓶 (Fit for HITACHI 7150R ₂)	20ml	
	SH005	配日立生化仪7170R ₂ 试剂瓶 (Fit for HITACHI 7150R ₂)	70ml	
	SH006	配日立生化仪7170R ₂ 试剂瓶 (Fit for HITACHI 7150R ₂)	20ml	
	SH007	配日立生化仪7170R ₂ 试剂瓶 (Fit for HITACHI 7150R ₂)	70ml	
	SH008	配日立生化仪7170R ₂ 试剂瓶 (Fit for HITACHI 7150R ₂)	20ml	

生化试剂瓶 BIOCHEMICAL BOTTLE



* REF NO.	产品编号 NO.	V NAME 品名	容量 Capacity	MAT 材质 Material
	SH047	配科华生化仪1200R ₂ 试剂瓶 (Fit for KHB 1200R ₂)	100ml	瓶体(Bottle body): HDPE 瓶盖(Cap): PP
	SH048	配科华生化仪1200R ₂ 试剂瓶 (Fit for KHB 1200R ₂)	25ml	
	SH013	配日立生化仪7150R ₂ 试剂瓶 (Fit for HITACHI 7150R ₂)	100ml	
	SH014	配日立生化仪7150R ₂ 试剂瓶 (Fit for HITACHI 7150R ₂)	20ml	
	SH049	配东芝生化仪 东芝40#R ₂ 试剂瓶 (Fit for TOSHIBA 40#R ₂)	50ml	
	SH050	配英诺华试剂瓶 (Fit for SINNOWA)	60ml	
	SH051	配英诺华试剂瓶 (Fit for SINNOWA)	20ml	

血球仪试剂瓶 REAGENT BOTTLE FOR ANALYZER



* REF NO.	产品编号	V NAME 品名	容量 Capacity	MAT Material 材质
SH017		配日本东亚血球仪KX-21试剂瓶 (Fit for SYSMEX KX21)	500ml	瓶体(Bottle body): HDPE 瓶盖(Cap): PP
SH018		配日本东亚血球仪KX-21试剂瓶 (Fit for SYSMEX KX21)	500ml	
SH019		配日本东亚血球仪尿沉渣试剂瓶 (Fit for SYSMEX KX21)	1000ml	
SH020		配日本东亚血球仪尿沉渣试剂瓶 (Fit for SYSMEX urinary sediment)	1000ml	
SH037		ABX血球仪ABX配溶血素试剂瓶 (Fit for ABX)	500ml	
SH038		ABX血球仪ABX配溶血素试剂瓶 (Fit for ABX)	1000ml	
SH027		BC5300配迈瑞血球仪试剂瓶 (Fit for Mindray BC5300)	500ml	
SH024		BC5500配迈瑞血球仪试剂瓶 Fit for Mindray BC5300)	500ml	
SH032		配希森美康血球仪试剂瓶 (Fit for SYSMEX)	1500ml	

西格玛试剂瓶 SIGMA REAGENT BOTTLE



* REF NO.	产品编号	V NAME 品名	容量 Capacity	MAT Material 材质
SH039		西格玛试剂瓶250ml (Fit for SIGMA-250ml)	250ml	瓶体(Bottle body): HDPE 瓶盖(Cap): PP
SH040		西格玛试剂瓶500ml (Fit for SIGMA-500ml)	500ml	
SH041		西格玛试剂瓶1000ml (Fit for SIGMA-1000ml)	1000ml	
SH042		西格玛试剂瓶1200ml (Fit for SIGMA-1250ml)	1200ml	
SH053		西格玛试剂瓶2000ml (Fit for SIGMA-2000ml)	2000ml	
SH054		西格玛试剂瓶3000ml (Fit for SIGMA-3000ml)	3000ml	

试剂桶 REAGENT BUCKET



SH043
2L



SH029
2L



SH044
2L



SH045
5L



SH046
10L

* REF NO.	产品编号 NO.	V NAME 品名 Name	容量 Capacity	MAT 材质 Material
	SH043	贝克曼圆桶2L (Fit for BECKMIN-2L)	2L	瓶体(Bottle body): HDPE 瓶盖(Cap): PP
	SH029	配奥林帕斯AC900清洗液试剂瓶 (Fit for OLYMPUS AC900)	2L	
	SH044	配日立血球仪日立电解质试剂瓶 (Fit for HITACHI-2L)	2L	
	SH045	试剂桶5L (Reagent Container 5L)	5L	
	SH046	试剂桶10L (Reagent Container 10L)	10L	

三十年成长 铸造品牌
三十年创新 塑造权威

COOPERATION HAS WITNESSED
EVERY STEP OF VALUE REALIZATION
合作，见证了价值实现的每一步印记

